Eaton FCF1RN

Catalog Number: FCF1RN

Eaton Bussmann Series UL Class CF, FCF fuse, fast-acting, single-element cube fuse, 1 A, non-idicating fuse, interrupting rating of 50 kA at 600 Vdc and 300 kA at 600 Vac



General specifications

Product Name Eaton Bussmann series FCF fuse

UPC 051712362412

Product Height 1.75 in

Product Weight 0.08 lb

Compliances CE Marked RoHS Compliant Catalog Number FCF1RN

Product Length/Depth 1.88 in

Product Width 0.75 in

Warranty Not Applicable

Certifications

UL Listed CSA Certified



Electrical rating

Amperage Rating

1 A

Frequency rating - max 60 Hz

Frequency rating - min 50 Hz

Interrupt rating 300 kAIC at 600 Vac 50 kAIC at 600 Vdc

Response time 4 min at 200%

Voltage rating 600 Vac, 600 Vdc

General information

Class Class CF Connection Blade end Fuse indicator Non-indicating Special features Superior overload and cycling capabilities

Used with TCFH30N, CCP2-3-30CF

Physical details

Color

Black

Fuse type

Fast acting Class CF

Material

Glass filled PES

Number of elements

1

Operating Temperature -40° to 80°C

Packaging type

Standard

Terminal material Electroless tin plated copper alloy terminal

Resources

Catalogs Low Voltage Branch Circuit Fuse Chapter Bussmann Full Line Catalog Compliance information RoHS Search Tool Multimedia Bussmann series Fuseology The Power of Space

Technical data sheets Bussmann series Fast-acting CUBEFuse data sheet no. 2147



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia