# **Eaton TCF20RN**

## Catalog Number: TCF20RN

Eaton Bussmann Series Class CF fuse, TCF, time-delay, dualelement current limiting cube fuse, 20 A, non-idicating fuse, interrupting rating of 100 kA at 300 Vdc and 300 kA at 600 Vac

#### General specifications



Eaton Bussmann series TCF fuse

Catalog Number TCF20RN

UPC

Product Length/Depth

051712220941

1.88 in

**Product Height** 

Product Width

1 in

0.75 in

**Product Weight** 

Warranty

0.043 lb

Not Applicable

Compliances

Certifications
UL Listed

CE Marked RoHS Compliant

CSA Certified





### Electrical rating

Amperage Rating

20 A

Frequency rating - max

60 Hz

Frequency rating - min

50 Hz

Interrupt rating

300 kAIC at 600 Vac 100 kAIC at 300 Vdc

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

### Physical details

Color

Black

Fuse type

Class CF

Time delay

Material

Glass filled PES

Number of elements

Dual

Packaging type

Standard

#### General information

Class

Class CF

Connection

Blade end

Fuse indicator

Non-indicating

Mounting method

Chassis

35 mm DIN rail

Special features

Finger safe

Used with

TCFH30N, CCP2-3-30CF

#### Resources

#### Catalogs

Bussmann Full Line Catalog

Low Voltage Branch Circuit Fuse Chapter

Compliance information

RoHS Search Tool

Multimedia

The Power of Space

Bussmann series Fuseology

Technical data sheets

Bussmann series UL Class CF CUBEFuse data sheet no. 9000



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia