# Eaton BAF-3

# Catalog Number: BAF-3

Eaton Bussmann series BAF fuse, Fast acting, 3 A, Non-indicating, Ferrule end x ferrule end, 10 kAIC at 125 Vac, 100 AIC at 250 Vac, Nickel-plated brass endcaps, Standard, 250 V

#### General specifications



Eaton Bussmann series BAF fuse

UPC

051712320030

Product Height

0.41 in

**Product Weight** 

0.25 lb

Compliances

CE Marked

Catalog Number

BAF-3

Product Length/Depth

1.5 in

**Product Width** 

0.41 in

Warranty

Not Applicable



# Electrical rating

Amperage Rating

3 A

Interrupt rating

100 AIC at 250 Vac 10 kAIC at 125 Vac

Voltage rating

250 V

#### Resources

#### Catalogs

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - BAF-3

Technical data sheets

BAF-3~BUSS MIDGET FUSE

Technical service bulletins

Datasheet - FNQ-30

# Physical details

Material

Nickel-plated brass endcaps

Packaging type

Standard

# General information

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Silver-plated fuse caps



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia