

# Eaton LP-CC-4-1/2

Catalog Number: LP-CC-4-1/2

Eaton Bussmann Series Class CC fuse, LP-CC, time-delay, dual-element current limiting fuse, 4.5 A, rejection style fuse, interrupting rating of 20 kA at 150 Vdc and 200 kA at 600 Vac



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series LP-CC fuse	LP-CC-4-1/2
<b>UPC</b>	<b>EAN</b>
051712180368	5027590447010
<b>Product Length/Depth</b>	<b>Product Height</b>
0.41 in	1.5 in
<b>Product Width</b>	<b>Product Weight</b>
0.41 in	0.15 lb
<b>Warranty</b>	<b>Compliances</b>
Not Applicable	CE Marked RoHS Compliant
<b>Certifications</b>	
UL Listed CSA Certified	

## Product specifications

### Type

Current-limiting time-delay fuse

### Special features

Rejection style

### Application

Specialized circuits and industrial control

### Amperage Rating

4.5A

### Number of elements

Dual

### Class

Class CC

### Interrupt rating

20 kAIC at 150 Vdc

200 kAIC at 600 Vac

### Fuse indicator

Non-indicating

### Connection

Ferrule end x ferrule end

### Response time

12 sec at 200%

### Material

Melamine tube

### Packaging type

Standard

### Quantity

10

### Voltage rating

600 Vac, 150 Vdc

## Resources

### Catalogs

[Bussmann Full Line Catalog](#)

[Low Voltage Branch Circuit Fuse Chapter](#)

### Multimedia

[Bussmann series Fuseology](#)

### Specifications and datasheets

[LP-CC Spec Sheet](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)