Eaton LP-CC-6-1/4

LOW-PEAK

IP-CC-6-1/41

Catalog Number: LP-CC-6-1/4

Eaton Bussmann Series Class CC fuse, LP-CC, time-delay, dualelement current limiting fuse, 6.25 A, rejection style fuse, interrupting rating of 20 kA at 150 Vdc and 200 kA at 600 Vac

General specifications



Eaton Bussmann series LP-CC fuse

UPC

051712180375

Product Length/Depth

0.41 in

Product Width

0.41 in

Warranty

Not Applicable

Certifications

UL Listed
CSA Certified

Catalog Number

LP-CC-6-1/4

EAN

5027590145398

Product Height

1.5 in

Product Weight

0.15 lb

Compliances

CE Marked

RoHS Compliant



Product specifications

Type

Current-limiting time-delay fuse

Special features

Rejection style

Application

Specialized circuits and industrial control

Amperage Rating

6.25A

Number of elements

Dual

Class

Class CC

Interrupt rating

20 kAIC at 150 Vdc

200 kAIC at 600 Vac

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 Vac, 150 Vdc

Resources

Catalogs

Bussmann Full Line Catalog

Low Voltage Branch Circuit Fuse Chapter

Multimedia

Bussmann series Fuseology

Specifications and datasheets

LP-CC Spec Sheet



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia