

Eaton KTK-R-25

Catalog Number: KTK-R-25

Eaton Bussmann Series Class CC fuse, KTK-R, fast-acting, dual-element current limiting fuse, 25 A, rejection style fuse, interrupting rating of 200kA at 600Vac



General specifications

Product Name	Catalog Number
Eaton Bussmann series KTK-R fuse	KTK-R-25
UPC	Product Length/Depth
051712420730	1.5 in
Product Height	Product Width
0.41 in	0.41 in
Product Weight	Warranty
0.18 lb	Not Applicable
Compliances	Certifications
RoHS Compliant	UL Listed
CE Marked	CSA Certified

Product specifications

Type

Current-limiting fast-acting fuse

Special features

Rejection style

Application

Industrial controls panels and machinery, street lighting, general lighting, capacitors and distribution

Amperage Rating

25 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Ferrule

Response time

See time current curve

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 V

Resources

Catalogs

[Bussmann Full Line Catalog](#)

[Low Voltage Branch Circuit Fuse Chapter](#)

[Bussmann series complete full line catalog no. 1007](#)

[Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - KTK-R-25](#)

Technical data sheets

[KTK-R Spec Sheet](#)

[KTK-R-25~CLASS CC FAST ACTING FUSE](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)