

Eaton KTK-R-3-1/2

Catalog Number: KTK-R-3-1/2

Eaton Bussmann Series Class CC fuse, KTK-R, fast-acting, dual-element current limiting fuse, 3.5 A, rejection style fuse, interrupting rating of 200kA at 600Vac



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Bussmann series KTK-R fuse	KTK-R-3-1/2
UPC	EAN
051712420617	5027590445641
Product Length/Depth	Product Height
1.5 in	0.41 in
Product Width	Product Weight
0.41 in	0.02 lb
Warranty	Compliances
Not Applicable	RoHS Compliant CE Marked
Certifications	
UL Listed CSA Certified	

Product specifications

Type

Current-limiting fast-acting fuse

Special features

Rejection style

Application

Industrial controls panels and machinery, street lighting, general lighting, capacitors and distribution

Amperage Rating

3.5 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Ferrule

Response time

See time current curve

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 V

Resources

Catalogs

[Low Voltage Branch Circuit Fuse Chapter](#)

[Bussmann Full Line Catalog](#)

[Bussmann series complete full line catalog no. 1007](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - KTK-R-3-1/2](#)

Technical data sheets

[KTK-R Spec Sheet](#)

[KTK-R-3-1/2~KTK-R-3-1-2~CLASS CC FAST ACTING FUSE](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)