Eaton KTK-R-4

Catalog Number: KTK-R-4

Eaton Bussmann Series Class CC fuse, KTK-R, fast-acting, dualelement current limiting fuse, 4 A, rejection style fuse, interrupting rating of 200kA at 600Vac

General specifications



Eaton Bussmann series KTK-R fuse

UPC

051712420631

Product Length/Depth

1.5 in

Product Width

0.41 in

Warranty

Not Applicable

Certifications

Catalog Number

KTK-R-4

EAN

5027590445672

Product Height

0.41 in

Product Weight

0.015 lb

Compliances

RoHS Compliant CE Marked



UL Listed CSA Certified



Product specifications

Type

Current-limiting fast-acting fuse

Special features

Rejection style

Application

Industrial controls panels and machinery, street lighting, general lighting, capacitors and distribution

Amperage Rating

4 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Ferrule

Response time

See time current curve

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 V

Resources

Catalogs

Bussmann Full Line Catalog

Low Voltage Branch Circuit Fuse Chapter

Bussmann series complete full line catalog no. 1007

Drawings

DA-PD-Bus_Ele_DS_1015_KTK-R

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KTK-R-4

Technical data sheets

KTK-R Spec Sheet

KTK-R-4~CLASS CC FAST ACTING FUSE CLASS CC



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia