

Eaton SC-2

Catalog Number: SC-2

Eaton Bussmann Series Class G fuse, SC, fast-acting, current limiting fuse, 2 A, rejection style fuse, interrupting rating of 100 kA at 600 Vac and 10 kA at 170 Vdc



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Bussmann series SC fuse	SC-2
UPC	Product Length/Depth
051712250023	1.31 in
Product Height	Product Width
0.41 in	0.41 in
Product Weight	Warranty
0.1 lb	Not Applicable
Compliances	
RoHS Compliant	
CE Marked	

Electrical rating

Amperage Rating

2 A

Interrupt rating

100 kAIC at 600 Vac

10 kAIC at 170 Vdc

Voltage rating

600 Vac, 170 Vdc

Physical details

Packaging type

Standard

General information

Class

Class G

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Ferrule design, Type P

Resources

Catalogs

[Bussmann Full Line Catalog](#)

[Low Voltage Branch Circuit Fuse Chapter](#)

Compliance information

[RoHS Search Tool](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - SC-2](#)

Technical data sheets

[Bussmann series Rejecting Fuses data sheet no. 1024](#)

[Bussmann series KRP-CL Class L fuse data sheet no.1016](#)

Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)