

# Eaton SC-3

Catalog Number: SC-3

Eaton Bussmann Series Class G fuse, SC, fast-acting, current limiting fuse, 3 A, rejection style fuse, interrupting rating of 100 kA at 600 Vac and 10 kA at 170 Vdc



Photo is representative

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series SC fuse	SC-3
<b>UPC</b>	<b>Product Length/Depth</b>
051712250030	1.31 in
<b>Product Height</b>	<b>Product Width</b>
0.41 in	0.41 in
<b>Product Weight</b>	<b>Warranty</b>
0.163 lb	Not Applicable
<b>Compliances</b>	
RoHS Compliant	

## Electrical rating

### Amperage Rating

3 A

### Interrupt rating

10 kAIC at 170 Vdc

100 kAIC at 600 Vac

### Voltage rating

600 Vac, 170 Vdc

## Physical details

### Packaging type

Standard

## General information

### Class

Class G

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Special features

Ferrule design, Type P

## Resources

### Catalogs

[Low Voltage Branch Circuit Fuse Chapter](#)

[Bussmann Full Line Catalog](#)

### Compliance information

[RoHS Search Tool](#)

### Multimedia

[Bussmann series Fuseology](#)

### Specifications and datasheets

[Eaton Specification Sheet - SC-3](#)

### Technical data sheets

[Bussmann series Rejecting Fuses data sheet no. 1024](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)